

## ● ANTENNAS

**Kaltalioglu, B., H. Takahashi, A. B. Alotman Alterkawi and C. Vochenberger**

"The Advantages of Air Cavity-Backed Transmission Lines and Antennas for mmWave Applications," No. 5, p. 78.

**Koul, Shiban K., G. S. Karthikeya, Ajay K. Poddar and Ulrich L. Rohde**

"Compact Antenna Systems for Future Smartphone Multi-Frequency Wireless Standards," No. 5, p. 64.

**Laundrie, Andrew**

"Selecting Probe Antennas for Near-Field Antenna Measurements," No. 8, p. 92.

**Shaw, Murari**

"A Wideband Microstrip Patch Antenna with Dual Polarization," No. 2, p. 80.

## ● CAD/CAM

**Cadence Design Systems, Inc.**

"Software Encryption Enables Sharing of IP-Protected Models," No. 3, p. 100.

## ● COMMERCIAL APPLICATIONS

**Fitzgerald, Mark**

"The Challenges and Opportunities with Implementing V2X," No. 11, p. 72.

## ● COMPONENTS/SUBSYSTEMS

**Emmerich, Julian and Harald Rudolph**

"The Trinity of Inaccuracy: Phase Noise, Jitter and Short-Term Stability - What Everyone Should Know About Their Measurement and Interrelationships," No. 1, p. 84.

**Emmerich, Julian and Harald Rudolph**

"The Importance of Crystal Oscillators with Low Phase Noise," No. 4, p. 68.

**Foley-Molivinsky, Cameron**

"Aerospace and Defense Applications Push Connector Boundaries and Require New Solutions," No. 12, p. 68.

**Hobart, Colby**

"How Additive Manufactured Dielectrics May Solve the Challenges of "Air-Like" Dielectrics," No. 1, p. 52.

**Swanson, Daniel**

"The Impact of Topology and Parasitics on SMT Bandpass Filters," No. 7, p. 58.

**Tsoi, Man Ho, Yat Sze Choy, Cheuk-fai Chow and Steve W. Y. Mung**

"Optimization of Surface Acoustic Wave Filter Performance with 2D FEM Simulation and Parametric Variation," No. 12, p. 82.

## ● COVER FEATURES

**Bencivenni, Carlo, Abolfazl Haddadi, Abbas Vosoogh and Marcus Hassel**

"Gapwaveguide Technology: A Game Changer for Automotive Radars," No. 1, p. 22.

**Carlsson, Jan**

"A Cost-Effective Method to Measure Vehicle Antenna Radiation Patterns and Data Throughput," No. 9, p. 18.

**DeMange, Scott and Barry Wu**

"InP HBT Technology: Advantages, Applications and Future Challenges," No. 6, p. 18.

**Duncan, Helen**

"Germany: A Driving Force in the European Microwave Industry," No. 8, p. 22.

**Eichler, Dr. Taro**

"THz Generation and Analysis with Electronic and Photonic Technologies," No. 5, p. 24.

**Gamzina, Diana and Richard Kowalczyk**

"Novel Design and Manufacturing Techniques Revitalizes mmWave TWTs," No. 4, p. 20.

**Jue, Greg**

"A Quasioptic OTA Transmission at 285 GHz with 30 GHz Bandwidth," No. 3, p. 20.

**Lohmeyer, Whitney Q., Phillip Post, Katie Fleming, Celvi Lisy, Argyris Kriezis and Abby Omer**

"A Review of the Current Broadband Satellite Communications Market," No. 2, p. 22.

**Manimala, V. and Dr. N. Gunavathi**

"Next Generation Terabit Wireless Communication:

Advancements Beyond 6G," No. 11, p. 20.

**McClearnon, Daren and Don Dingee**

"Enhancing Sub-Terahertz RF EDA Workflows for 6G Challenges," No. 7, p. 20.

**Morcelles, Kaue and Brandon Malatest**

"Comparing SDRs For Aerospace and Defense Electronics," No. 12, p. 18.

**Walker, Bryan**

"Choosing the Right Programmable Attenuator for Receiver Sensitivity Tests," No. 10, p. 20.

## ● DESIGN

**Bacon, Peter and Young-Taek Lee**

"5G NR Challenges and Trends In RFFE Design," No. 11, p. 82.

**Basavarajappa, Gowish**

"A Ferrite Transformer-Based Power Divider with 400:1 Bandwidth," No. 6, p. 62.

**Boshnakov, Ivan, Larry Dunleavy and Chris DeMartino**

"Designing a 30 to 1000 MHz 10 W GaN HEMT Power Amplifier Using a Novel Coaxial Impedance Transformer with Ferrite Beads," No. 9, p. 70.

**Dobler, Joel and Sam Ringwood**

"Signaling and Timing Methods for Planar Phased Arrays," No. 5, p. 114.

**Du, Jun-Bao, Lin Li and Xian-Chuang Su**

"Asymmetric Surface Plasmon Polariton Defected Ground Structure with Triple-Band Rejection and Its Application In a Gysel Power Divider with Harmonic Suppression," No. 6, p. 68.

**Li, Xushen, Yongpeng Wu and Hairong Zhang**

"A Compact Dual-Mode mmWave Bandstop Filter In 0.13  $\mu\text{m}$  SiGe Technology," No. 6, p. 54.

**Liao, Yong**

"Power Handling Capability in Waveguide Longitudinal Shunt Slot Arrays," No. 9, p. 62.

**Logothetis, James and Kevin Spencer**

"Stacking Interdigital Filters Using Multi-Mix@ Technology," No. 10, p. 72.

**Ma, Jianhao, Yong Fang, Qingsong Zhang, Huijun Wang, Ziwei Xie and Qi Zhang**

"Characterization of a MoS<sub>2</sub> Film Frequency Doubler with Direct Current Bias," No. 9, p. 52.

**Rohde, Ulrich L. and Thomas Boegl**

"A Modern HF/VHF/UHF Transceiver for All Applications - What Would It Look Like Today?," No. 10, p. 62. Extended Version: No. 11, Online.

**Slack, David**

"RF Interconnect Requirements for High Performance Quantum Computing Technologies," No. 3, p. 94.

**Ye, Qingqing and Lijun Zhang**

"Design of a Tri-Band Microstrip Bandpass Filter with High Performance for 5G Applications," No. 5, p. 96.

## ● DEVICES

**Grayzel, Dr. Alfred**

"A Negative Resistance Amplifier with 0.5 Percent Bandwidth," No. 5, p. 90.

**Parvais, Bertrand and Hao Yu**

"GaN-Based Devices for Advanced RF Applications Puts Technology Building Blocks in the Spotlight," No. 4, p. 48.

**Shanjani, Payman and Vikas Choudhary**

"RF SOI Enables 5G mMIMO Active Antenna Systems," No. 4, p. 56.

**Tasci, Burak**

"An Embedded Communication System Solution for Operation in the Presence of RF Noise and Interference," No. 12, p. 74.

## ● EUROPEAN MICROWAVE CONFERENCE

**Hindle, Pat**

"Attending EuMW 2023 In Berlin," No. 8, p. 58.

**Zwick, Thomas and Vadim Issakov**

"Welcome to the 26th European Microwave Week," No. 8, p. 56.

## ● GUEST EDITORIALS

**Dobler, Joel**

"Overcoming Planar Phased Array Circuit Design Challenges," No. 3, p. 48.

**Morgan, Kyle**

"Large Cash Reserves Are Fueling RF and Microwave M&A," No. 12, p. 30.

**Sheffres, Carl**

"Celebrating 65 Years," No. 1, p. 18.

## ● INSTRUMENTS/MEASUREMENTS

**Lambert, Phil**

"Estimating & Measuring the Dielectric Constant and Loss Tangent of Dielectric Lattice Structures for Additive Manufacturing (Part 2)," No. 10, p. 52.

**Maehara, Hiroyuki, Mark E. Hanni, Nader Srouji and Dara Sariaslani**

"RF Performance Characterization of Direct Digital Wideband Transceivers Using Digital/RF Cross-Domain Stimulus Response," No. 1, p. 64.

**Miles, Darren and George Bollendorf and Bob Buxton**

"Innovations in Pulse Fidelity for High-Power GaN Radar and EW Transmitters," No. 3, p. 58.

**Pfeifer, Gunter and Benoit Derat**

"Optimized Air Flow and Thermally Efficient Test Systems Enables 3D OTA Measurements Over Temperature," No. 1, p. 76.

## ● mmWave

**Skinner, James, Nick Ridler, Nathan Miller, Sam Brokenshire, Nathan Bayley and Peter Young**

"Benchmarking Seamless Sub-mmWave and Terahertz Metallic Waveguide," No. 11, p. 60.

## ● MTT-S CONFERENCE

**Lie, Donald Y. C.**

"RFIC'23 Overview," No. 5, p. 156.

**Sheffres, Carl**

"The IMS2023 Exhibition," No. 5, p. 160.

**Spirito, Marco, Jeffrey Jargon, Jon Martens and Dennis Lewis**

"101st ARFTG Microwave Measurement Conference," No. 5, p. 158.

**Wood, John and Gayle Collins**

"Welcome to IMS2023 In Sunny San Diego!," No. 5, p. 152.

## ● ONLINE SPOTLIGHT

**Cui, Xiaoxi, Haihui Yu, Jiqun Jiang, Fenglong Hao, Changjian Tao, Chuan Jin, Shiyong Li and Houjun Sun**  
"mmWave 3D Imaging System for Human Security Inspection," No. 12, Online.

**Grant, Simon**

"Exploring EMI Filtering Options," No. 10, Online.

**Guo, Jing, XianQi Lin, YuXin Kang, ChangSong Liang and Delanyo Kulevome**

"A Passive Wide Angle Retrodirective Array Based on Gain-Improved Microstrip Antenna and Phase Reversal Feed Between Elements," No. 4, Online.

**Ilcev, Dimov Stojce**

"Architecture of ORBCOMM Little LEO Global Satellite Systems for Mobile and Personal Communications," No. 2, Online.

**Jang, Jiyeon, Yejune Seo, Yejin Lee, Junghyun Cho and Sungtek Kahng**

"A High Gain Reflectarray Antenna for Airborne mmWave Sensing Devices," No. 8, Online.

**Rohde, Ulrich L. and Thomas Boegl**

"A Modern HF/VHF/UHF Transceiver for all Applications - What Would It Look Like?," No. 11, p. 62.

**Tang, Weilong, Lin Peng, Shaoxin Lin, Gary Zhang and Zhihao Zhang**

"A Broadband High-Efficiency Class-J Power Amplifier for C-Band," No. 5, Online.

**Tasci, Burak and Yavuz Erol**

"An Embedded Communication System Solution for operation in the Presence of RF Noise and Interference," No. 9, Online.

**Zou, Yin, Jin Pan and Xinyang Ji**

"Hybrid Decoupling Method for a Circularly polarized Array," No. 6, Online.

## ● OPINION

**Hackenbruch, Chandra**

"Surviving the Great Commercial Space Shakeout," No. 2, p. 52.

**Kollipara, Anil**

"To Unleash Tomorrow's Open Radio Networks, Testing Must Evolve," No. 7, p. 32.

**Lu, Ka**

Looking to the Future Convergence and Coexistence of Terrestrial and Non-Terrestrial Networks," No. 5, p. 40.

**Zarrinkoub, Houman**

"Unlocking the Potential of AI to Enable the Next Generation of Wireless Systems Design," No. 6, p. 28.

● **PRODUCT FEATURES**

**Aethertek**

"One-Stop 5G FR2 Test Solution," No. 11, p. 118.

**AnaPico AG and Berkeley Nucleonics Corp.**

"Phase and Timing-Accurate Multi-Channel Radar Signal Generation," No. 3, p. 114.

**AnaPico AG and Berkeley Nucleonics Corp.**

"Signal Generator Options Improve Input Power and Harmonic Performance," No. 5, p. 148.

**AnaPico AG and Berkeley Nucleonics Corp.**

"Microwave Signal Source Replaces and Upgrades QuickSyn," No. 10, p. 85.

**Anokiwave**

"Beamforming ICs Help Close the mmWave 5G Business Case," No. 8, p. 114.

**Anritsu**

"Handheld Spectrum Analyzer Balances Price and Performance," No. 2, p. 98.

**Cellmax Technologies AB**

"8- and 12-Port Triple-Band Antennas," No. 5, p. 146.

**CEMWorks**

"Electromagnetic Simulation Platform Unleashes the Potential of Metasurfaces," No. 9, p. 78.

**CyroCoax, an Intelliconnect Brand**

"High Density Microwave Interconnects for Quantum Computers," No. 8, p. 122.

**Empower RF Systems**

"Liquid-Cooled GaN Amplifier Delivers 5 kW at S-Band," No. 6, p. 44.

**Eravant, formerly Sage Millimeter Inc.**

"Electromechanical Waveguide Switches Control Sub-THz Signals," No. 3, p. 120.

**Eravant, formerly Sage Millimeter Inc.**

"Programmable Direct-Reading Attenuators for Test & Measurement Applications," No. 5, p. 130.

**Eravant, formerly Sage Millimeter Inc.**

"Measuring the Dynamic Range of VNA Frequency Extenders," No. 9, p. 57.

**Eravant, formerly Sage Millimeter Inc.**

"Understanding D-Band OTA Measurement Distances," No. 12, p. 94.

**Exodus Advanced Communications**

"4 kW Pulsed Solid-State Amplifier Operates from 4 to 8 GHz," No. 6, p. 46.

**Exodus Advanced Communications**

"8 kW Solid-State Pulse Amplifier Operates from 1 to 2.5 GHz," No. 9, p. 56.

**Fairview Microwave**

"Expanded Line of Semi-Rigid Cable Assemblies and Connectors," No. 6, p. 50.

**Fairview Microwave**

"VITA 67 Multi-Port Connector Blocks Enhance Reliability," No. 7, p. 76.

**Filtronic**

"E-Band Amplifier Supports 256-QAM With 6 W Saturated Output Power," No. 11, p. 112.

**HASCO, Inc.**

"Armored Ultra Flexible RF Cables Better Phase Stability," No. 6, p. 78.

**HASCO, Inc.**

"Flexible Cables Reduce Cost," No. 12, p. 95.

**HUBER+SUHNER AG**

"Low Loss, High Performance Cable Assembly Operates to 70 GHz," No. 3, p. 108.

**HYPERLABS**

"Thermally Compensated 40 kHz to 40 GHz Linear Amplifier," No. 5, p. 150.

**HYPERLABS**

"DC to 20 GHz Down-Converter Sampler/Harmonic

Mixer IC," No. 6, p. 48.

**HYPERLABS**

"100 GHz Pulse Inverter Operates Over Nearly Six Decades of Bandwidth," No. 12, p. 95.

**ICana**

"8-Channel, Dual Polarization Beamforming IC Operates In 5G FR2," No. 10, p. 88.

**Junkosha**

"Exploring the Role of Innovative Cabling for 5G and Beyond," No. 3, p. 104.

**KRYTAR, Inc.**

"Connectorized Bias Tees Offer Ultra-Broadband Control Solutions," No. 10, p. 94.

**Ladybug Technologies**

"Small Power Sensors with USB C Interface," No. 1, p. 100.

**Marki Microwave**

"LO Driver Amplifier Operates 2 to 40 GHz," No. 11, p. 116.

**Maury Microwave**

"Cable Assemblies Ensure Accurate and Repeatable On-Wafer Probing," No. 5, p. 144.

**Micro Harmonics**

"Hybrid Circulator Family Operates From 70 to 133 GHz," No. 6, p. 78.

**Microchip Technology Inc.**

"Automotive-Qualified 10BASE-T1S Ethernet Devices Simplify Architecture," No. 9, p. 84.

**Nxbeam Inc.**

"3.5, V-Band, GaN Power Amplifier MMIC," No. 2, p. 102.

**Nxbeam Inc.**

"1 Watt GaN Power Amplifier MMIC Operates In E-Band," No. 8, p. 124.

**Pasternack**

New Programmable Attenuators Operate from DC to 40 GHz," No. 3, p. 126.

**Pasternack**

"Adjustable Control Components Address Multiple Applications," No. 7, p. 78.

**Pasternack**

"High Temperature RF and Microwave Adapters," No. 9, p. 56.

**PPM Systems**

"RF-over-Fiber Solutions for EW Applications," No. 12, p. 90.

**Pulse Systems, Inc.**

"Solid-State GaN Power Amplifiers for Weather Radar Systems," No. 9, p. 80.

**QuadSAT**

"Using Drones to Verify Antenna Performance," No. 4, p. 80.

**Remcom**

"Propagation Analysis of EES Optimizes 6G Wireless Coverage," No. 3, p. 127.

**Remcom**

"XFtdt® Software Update Introduces Tuning Functionality for Comprehensive Matching Network Design," No. 4, p. 88.

**Rohde & Schwarz**

"One Box Solution for FR1 Base Station, Small Cell and RF Component Test," No. 4, p. 84.

**Roos Instruments, Inc.**

"Cassini Is Ready for mmWave Device Production. Are You?," No. 8, p. 120.

**Rosenberger Hochfrequenztechnik GmbH & Co. KG**

"Contactless Data and Power Transmission," No. 6, p. 74.

**SIGLENT Technologies**

"VNA Provides Component Analysis up to 26.5 GHz," No. 4, p. 89.

**Signal Hound**

"Network-Capable mmWave Spectrum Analyzer," No. 2, p. 102.

**Signal Hound**

"Real-time RF Spectrum Analyzer and Monitoring Receiver Operates at 14.5 GHz," No. 9, p. 58.

**Signal Microwave, LLC**

"40/50/70 GHz Wide Pitch True Differential TDR/VNA Probes," No. 3, p. 126.

**Signal Microwave, LLC**

"Nonmagnetic Field Replaceable SMA Connectors," No. 11, p. 116.

**Spacek Labs**

"Millimeter Wave Amplifier for 5G FR2," No. 12, p. 94.

**Spectrum Control**

"Digitally Enabled RF Building Blocks Address Emerging EW System Needs," No. 9, p. 50.

**Spectrum Instrumentation**

"Digitizers Offer 10 GSPS Sampling Rate and Continuous Streaming," No. 10, p. 95.

**Spectrum Instrumentation GmbH**

"New PCIe Digitizers Offer 10 GSPS and High Resolution," No. 3, p. 122.

**SynMatrix Technologies Inc.**

"3D Geometry Workflows for Substrate-Integrated Waveguide Filters," No. 7, p. 73.

**Teledyne RF & Microwave**

"500 MHz to 20 GHz, YIG-Based Notch Filters for EW," No. 1, p. 98.

**WAFIOS Machinery Corporation**

"Programmable 3D CNC Bending Machine for Small Tubes and Coaxial Cables," No. 5, p. 136.

**WavePro, a Brand of Garlock | an Enpro Company**

"Higher Dielectric Constant Material Enables New RF Capabilities," No. 5, p. 140.

**Werlatone, Inc.**

"2-18 GHz Coaxial Combiner/Divider Is Rated to 200 W CW," No. 7, p. 80.

● **SPECIAL REPORTS**

**Anwar, Asif**

"The Automotive Market Will Be a Growth Engine for the Semiconductor Industry," No. 9, p. 28.

**Bachmann, Christian and Minyoung Song**

"The Future of UWB: Reconciling Sensing with Low Energy Consumption and High Bitrates," No. 2, p. 70.

**Buey, Cyril and Cedric Malaquin**

"Innovation and Pricing Pressures Drive 5G Base Station Power Amplifier Trends," No. 6, p. 46.

**Choquette, George**

"Combining GEO Satellite and Wireless Transports into a Low Latency Internet Service," No. 2, p. 60.

**DeLisle, Jean-Jacques**

"How to Reliably Align Compression Connectors for mmWave Applications," No. 3, p. 70.

**Edwards, Terry**

"V-Band and E-Band Radio Links Are Becoming Important for 5G Fixed Wireless Access and xHaul," No. 8, p. 84.

**Funaiole, Matthew, Brian Hart and Aidan Powers-Riggs**

"The Need to De-Risk Gallium Material Supply Chains," No. 12, p. 48.

**Ghorbel, Aymen, Ezgi Dogmus and Poshun Chiu**

"RF GaN Market Broadens Its Appeal with an Appetite for GaN-on-Silicon," No. 8, p. 72.

**Heynen, Jeff**

"Cable Accelerates Its Efforts to Add Broadband Capacity and Speeds," No. 10, p. 30.

**Hietpas, Kevin**

"Next-Generation DAS Technology Emerges to Serve 5G Needs," No. 5, p. 106.

**Higham, Eric**

"Francis Blake: An Unsung Hero?," No. 11, p. 18.

**Higham, Eric**

"Laying the Foundation for Quantum Applications: Max Planck," No. 5, p. 20.

**Lum, Earl**

"RF SMP Board-to-Board Connectors Market Review," No. 3, p. 86.

**Maddio, Stefano**

"The Most Beautiful Woman In the World" and the "Bad Boy of Music" Invented Spread Spectrum Technology," No. 2, p. 18.

**Manku, Taj and Oleskiy Kravets**

"Wi-Fi Sensing - The Next Big Evolution of Wi-Fi," No. 7, p. 54.

**Selleri, Stefano**

"Oliver Heavside in Music," No. 8, p. 18.

# Editorial Index

## **Stuhlfauth, Reiner**

"5G Non-Terrestrial Networks Take Flight with New Radio and IoT Applications," No. 11, p. 34.

## **Yu, Jimmy**

"5G Needs Microwave in Backhaul," No. 12, p. 62.

## ● **SUPPLEMENT FEATURES**

### **DeLisle, Jean-Jacques and Dr. Daniel Faircloth**

"Overcoming the Limitations of 3D EM Simulation of Electrically Large Devices," No. 9, p. 38.

### **Lambert, Phil**

"Estimating & Measuring the Dielectric Constant and Loss Tangent of Dielectric Lattice Structures for Additive Manufacturing (Part 1)," No. 9, p. 24.

### **Luther, Erik**

"Space Development Agency: Setting the Pace for Defense Innovation," No. 6, p. 8.

### **M.A., Aparna**

"Military Radar: Surveying Beyond Battle Grounds," No. 9, p. 16.

### **Malatest, Brandon**

"FPGAs In SDRs for Radar, EW and MilCom Applications," No. 9, p. 6.

### **Sever, Nir**

"Supply Chain Security and Counterfeit Detection Using Universal Chip Telemetry™ (UTC)," No. 6, p. 30.

### **Thompson, Chris**

"Adaptive Computing Drives Speed and Innovation in Tactical Edge Computing," No. 6, p. 18.

## ● **SYSTEMS**

### **Hoppenstein, Russell J.**

"Phase Noise Analysis in OFDM Radar and Satellite Communication Systems," No. 11, p. 108.

### **Simon, Winifred, Aline Friedrich, Oliver Litschke, Markus Krengel, Lutz Wunderlich, Michael Wieklinski, Thorsen Liebig and Simona Bruni**

"The 5G CAN: A Scalable Dual-Polarized Omnidirectional Tx/Rx Front-end Module," No. 8, p. 100.

### **Smith, Gavin and Nathan Glaze**

"Top-Side Cooling Enables 5G Active Antenna Systems," No. 11, p. 96.

### **Sumi, David**

"Beamforming and System Gain Make NLoS Communications Possible at 60 GHz," No. 11, p. 100.