

■ ANTENNAS

Freeborough, David

"Smart Antennas for 5G," No. 8, p. 70.

Ingalls, Mark W., Michael D. Glover and Ed Liang

"A Hybrid Hexaband Cellular Antenna," No. 1, p. 88.

Kim, Hyunsoo and Sungtek Kahng

"Design of a Compact Four MIMO Handset Antenna Structure," No. 4, p. 162.

Liu, Qingshuang, Yilong Lu and Jie Jin

"Broadband CPW-Fed Wearable Antenna for WLAN and WiMAX Applications," No. 4, p. 144.

Qiu, Yijie, Yei Hwan Jung, Subin Lee, Ting-Yen Shih, Yuehang Xu, Ruimin Xu, Weigan Lin, Justin C. Williams, Nader Behdad and Zhenqiang Ma

"Flexible Capacitively Loaded Antenna with Parylene Conformal Coating," No. 4, p. 134.

Zhang, Li-Jian, Seong-Gon Choi, Bireng-Chearl Ahn, Jae-Hoon Bang, Dong-Hyun Kim and Young-Tae Choi

"Simplified Feed Prime Focus Reflector Antenna," No. 2, p. 108.

■ CAD/CAM

Barney, Jeff and Scott Langdon

"Full Wave Matching Circuit Optimization Shortens Design Iterations," No. 1, p. 96.

Donovan, Mike, Andrei Cozma and Di Pu

"Using Model-Based Design for Software-Defined Radio," No. 7, p. 96.

Futter, Peter

"Changing Design with Characteristic Mode Analysis," No. 10, p. 74.

Muller, Andrei A.

"A Hyperbolic Compact Generalized Smith Chart," No. 8, p. 90.

■ COMPONENTS/SUBSYSTEMS

Brown, David

"Optimizing Radar Matched Filters," No. 1, p. 58.

Emiliano, Pedro, Paro Filho, Mark Ingels, Piet Wambacq and Jan Craninckx

"Compact SAW-less Transmitter for 3G, 4G and Beyond," No. 8, p. 56.

Marki Microwave

"Implementing I/Q, Single Sideband and Image Reject Mixers," No. 3, p. 88.

Nicholls, Franck and Jose Fernandez Villaseñor, M.D.

"Advances in RF Energy for Medical Applications," No. 12, p. 64.

■ COVER FEATURES

"Integrated, Turnkey Modeling and Measurement Systems," No. 3, p. 20.

*with contributions from:

*Dudkiewicz, Steve

"Addressing Time to Market with Turnkey Measurement and Modeling Systems," No. 3, p. 30.

*Mallette, Vince

"All-in-One Measurement and Modeling Systems," No. 3, p. 36.

*Vye, David and Marc Vanden Bossche

"Customized Advanced Modeling Through PXI-Based High Speed Nonlinear Measurement Systems," No. 3, p. 24.

*Yangagimoto, Yoshiyuki

"Turnkey Solutions for Semiconductor On-Wafer Measurements," No. 3, p. 20.

Brookner, Eli

"Metamaterial Advances for Radar and Communications," No. 11, p. 22.

El Bouayadi, Ossama, Yann Lamy, Laurent Dussopt and Gilles Simon

"3D Integration and Packaging of mmWave Circuits and Antennas: Opportunities and Challenges," No. 2, p. 22.

Elsallal, M. Wajih, Jamie Hood and Ian McMichael

"3D Printed Material Characterization for Complex Phased Arrays and Metamaterials," No. 10, p. 20.

Ghosh, Amitava

"The 5G mmWave Radio Revolution," No. 9, p. 22.

Guillemin, Theiry

"Satellites Remain Key Link in Evolving Hybrid Network Chain," No. 8, p. 22.

Hindle, Patrick

"Going Green: High Efficiency GaN Amplifiers," No. 5, p. 20.

Hindle, Patrick

"Get Your GaN Here: RF GaN Foundry Survey," No. 6, p. 20.

Leurde, Gary

"The Big Merge: An Insider's Perspective," No. 4, p. 24.

McClearnon, Daren

"E Pluribus Unum: An Integrated Design Flow for Phased Arrays," No. 7, p. 20.

Heuel, Steffen

"Automatic Radar Sensors Must Address Interference Issues," No. 12, p. 22.

Walker, John and James Custer

"Solid-State Transmitters for IFF and SSR Systems," No. 1, p. 22.

■ DESIGN

Chen, Jianzhong, Jie Shen, Ni Gao and Anzue Zhang

"A Compact Balanced-to-Unbalanced Diplexer Using Interdigital Line Resonators," No. 4, p. 152.

Fang, Yong, Baoqing Zeng, Xiaoyun Zhao, Jun Dong and Hai Zhang

"Design of Waveguide Windows for mmWave Components," No. 9, p. 130.

Ma, Liang, Jianyi Zhou and Weichen Huang

"High Efficiency Continuous Inverse Class F Power Amplifier with Harmonic Impedance Control," No. 2, p. 92.

Nash, Eamon

"IC RF Power Detectors Simplify Wireless System Design," No. 4, p. 194.

Pasternack

"RF Waveguide Tips and Facts You Can't Learn in School," No. 8, p. 96.

Preradovic, Stevan

"Printed 3D Stacked Chipless RFID Tag with Spectral and Polarization Encoding," No. 4, p. 122.

Zhan, Lamin, Kun Li and Guoan Wu

"Using a Passive Vector Modulator to Realize a Super Linearity High Power Feedforward Amplifier," No. 8, p. 80.

Rodriguez, Vince

"Basic Rules for Anechoic Chamber Design, Part One: RF Absorber Approximations," No. 1, p. 72.

Rodriguez, Vince

"Basic Rules for Anechoic Chamber Design, Part Two: Compact Ranges and Near Field Measurements," No. 2, p. 80.

■ DEVICES

Bacon, Peter and Kinana Hussain

"High Linearity RF Switches for DOCSIS 3.1 Applications," No. 7, p. 88.

Friedrich, Aline and Bernd Geck

"LDS Molded Interconnect Devices Fit for mmWave," No. 9, p. 116.

Liang, Edward C.

"Characterization and Modeling of High Q Dielectric Resonators," No. 11, p. 68.

Mini-Circuits

"Computing Thermal Resistance of PCB-Mounted MMIC Devices," No. 4, p. 176.

Rohde, Ulrich L. and Ajay K. Poddar

"Möbius Metamaterial Inspired Next Generation Circuits and Systems," No. 5, p. 62.

Rohde, Ulrich L. and Ajay K. Poddar

"Möbius Metamaterial Inspired Signal Sources and Sensors," No. 6, p. 60.

Rohde, Ulrich L. and Ajay K. Poddar

"Möbius Metamaterial Strips: Opportunity, Trends, Challenges and Future," No. 7, p. 62.

Vigneri, Donna

"Adaptive Gate Bias Module Ensures Amplifier Performance," No. 4, p. 182.

Vorokhovskiy, Y., A. Nikonov, A. Kotyukov, V.

Lyaskovsky, A., Kamochkin and Y. Kolpakov

"Ensuring Peak Oscillator Performance in Real World Systems," No. 5, p. 92.

■ EDI CON

Hindle, Patrick

"Major Expansion for EDI CON China 2016," No. 2, p. 20.

Hindle, Patrick

"EDI CON China 2016 Features More EMC, Radar and Semiconductor Content," No. 3, p. 68.

Hindle, Patrick

"EDI CON China Program Preview," No. 3, p. 69.

Love, Janine

"New England in the Fall + Electronic Design Innovation: A Perfect Combination," No. 4, p. 104.

Love, Janine

"EDI CON USA Promises a Technical Program That Tackles Real-World Challenges," No. 8, p. 124.

■ EUROPEAN MICROWAVE CONFERENCE

Gibson, Andrew and Ivar Bazzy

"Welcome to European Microwave Week 2016," No. 9, p. 72.

Mumford, Richard

"Attending European Microwave Week 2016," No. 9, p. 78.

Mumford, Richard

"The 2016 EuMW Defence, Security and Space Forum," No. 9, p. 94.

■ EDITORIAL

Hindle, Patrick

"Mergers Mold 2016," No. 12, p. 20.

Sheffres, Carl

"Staying Engaged," No. 1, p. 20.

■ INSTRUMENTS/MEASUREMENTS

Giust, Gary and Doug Jorgensen

"Measuring Phase Noise with Baluns," No. 10, p. 84.

Knowles Capacitors

"The Methods and Problems of Capacitor ESR Measurement," No. 10, p. 102.

Lu, Dingqing

"Solving Mobile Radar Measurement Challenges," No. 6, p. 108.

Pierpoint, Mark and Gabriel M. Rebeiz

"Paving the Way for 5G Realization and mmWave Communication Systems," No. 4, p. 106.

Pini, Arthur, Greg Tate and Oliver Rovini

"Common Digitizer Setup Problems to Avoid," No. 3, p. 72.

Rumiantsev, Andrej, Toe Niang Swe and Andreas Henkel

"Achieving Metrology-Level Accuracy When Making THz Measurements," No. 9, p. 140.

Schmitt, Herbert

"Pulse Compression Radar System Analysis," No. 1, p. 106.

Sinha, Abinash, Reiner Stuhlfauth and Fernando Schmitt

"In-Device Coexistence Interference," No. 6, p. 96.

Starkloff, Eric

"What's Driving the IoT? It's Not Just Consumers," No. 4, p. 112.

■ MTT-S IMS CONFERENCE

Hindle, Patrick

"Your Guide to IMS2016," No. 4, p. 44.

■ OPINION

Cameron, Thomas

"5G Opportunities and Challenges for the Microwave Industry," No. 2, p. 50.

Cohen, Dudy

"5G and the IoT: 5 Trends and Implications," No. 9, p. 44.

Mumford, Richard

"Microwaves in Europe: Leaving Unanswered Questions," No. 9, p. 100.

Rappaport, Professor Theodore

"Industry Visionary," No. 10, p. 36.

■ PRODUCT FEATURES

Aaronia AG

"Real-Time Spectrum Analyzer up to 20 GHz and POI Below 1 μ s," No. 4, p. 210.

Aaronia AG

"UAV/Drone Detection System," No. 11, p. 106.

Accel-RF Instruments Corp.

"Modular Multi-Channel RF-Biased HTOL Test System," No. 6, p. 118.

Accel-RF Instruments Corp.

"High Voltage and High Current Waveform Amplifier," No. 12, p. 92.

Amphenol RF

"High Power PSMP Provides Board-to-Board Solution," No. 3, p. 38.

Analog Devices Inc.

"New Radio Ecosystem for a Changing Wireless World," No. 6, p. 36.

Anritsu

"E-Band Test Makes Component Design and Manufacturing More Affordable," No. 3, p. 100.

Anritsu

"USB Power Sensors: Fast, Accurate Measurements at an Affordable Price," No. 4, p. 206.

Anritsu

"Power Analyzer Reaches 70 GHz with >100 dB Dynamic Range," No. 9, p. 154.

AtlanTecRF

"Simulating the Satellite in Mobile Satcom Systems," No. 8, p. 32.

Avago Technologies

"Miniature LNA-Filter Module Improves Car SDARS Coexistence," No. 2, p. 122.

Azimuth Systems

"Automated, Scalable RF Platform for LTE Unlicensed, Wi-Fi and IoT," No. 5, p. 112.

Berkeley Nucleonics Corp.

"Real-Time Spectrum Analyzers: 10x Lower Size, Weight and Cost," No. 1, p. 124.

Berkeley Nucleonics Corp.

"Small Receivers Cover 27 GHz with 100 MHz Instantaneous BW," No. 4, p. 226.

Berkeley Nucleonics Corp.

"Low Phase Noise, Micro-Hz Resolution Signal Generators to 26.5 GHz," No. 8, p. 58.

Computer Simulation Technology (CST)

"Accuracy in Simulation with CST STUDIO SUITE 2016," No. 1, p. 114.

COMSOL Inc.

"Better Microwave and RF Designs with COMSOL Multiphysics®," No. 1, p. 120.

Dow-Key Microwave

"RF Switch with 10 Million Cycle Life and 0.03 dB Repeatability," No. 2, p. 122.

Exodus Advanced Communications

"Ultra-Broadband Solid-State HPAs," No. 5, p. 60.

Exodus Dynamics

"Phase-Locked DRO Achieves Crystal Stability to 50 GHz," No. 4, p. 224.

Fairview Microwave

"High Reliability RF Switches Provide High Power in a Small Package," No. 5, p. 53.

Fairview Microwave

"Two- and Four-Way Power Combiners Handle Up to 800 W," No. 8, p. 52.

Farran Technology and Copper Mountain Technologies

"Affordable, mmWave VNA Solutions," No. 9, p. 158.

Holzworth Instrumentation

"Synthesizers Lead in Phase Noise, Spectral Purity and Volume," No. 3, p. 120.

Holzworth Instrumentation

"Real-Time Cross Correlation Phase Noise Analyzer," No. 8, p. 57.

HUBER + SUHNER

"Flexible Low PIM Test Lead," No. 3, p. 36.

IMST GmbH

"EMPIRE XPU: 7.5: 3D EM Design Suite," No. 10, p. 124.

Innovative Integration

"Rugged, Conduction-Cooled, COTS Digital Transceiver," No. 10, p. 128.

Integrated Device Technology Inc.

"Variable Gain Amplifiers for Wireless Infrastructure," No. 12, p. 38.

K&L Microwave

"Tunable Frequency and Bandwidth Filter," No. 12, p. 98.

Keysight Technologies

"Redefining Signal and Power Integrity Analysis with ADS SIPro and PIPro Solutions," No. 3, p. 100.

Keysight Technologies

"The Progressive Transformation of Spectrum Analyzer Technology," No. 4, p. 200.

Keysight Technologies

"THz Spectrum Analysis With a Vector Network Analyzer," No. 8, p. 108.

Keysight Technologies

"Addressing Interference Problems Using Real-Time Spectrum Analysis," No. 10, p. 114.

L-3 Electron Devices

"6.5 to 40 GHz Microwave Power Modules," No. 12, p. 96.

Langer EMV-Technik GmbH

"CS-ESA Software for EMC Analysis with Spectrum Analyzer," No. 7, p. 102.

Linear Technology

"2 to 14 GHz Matched Microwave Mixer Solves Difficult Design Challenges," No. 4, p. 214.

Linear Technology

"Wideband Zero-IF I/Q Demodulator Improves Receiver Performance," No. 10, p. 130.

Magic Xtal Ltd.

"Ultra Stable Low Power OCXOs Based on IHR Technology," No. 2, p. 116.

Maury Microwave Corp.

"Low Loss Diplexers and Triplexers for Wireless Test and Measurement," No. 3, p. 38.

Maxim Integrated

"Dual-Channel BTS PA Linearizer," No. 11, p. 38.

MCV Microwave

"Ultra-Narrowband Cavity Filters to Ku-Band," No. 8, p. 122.

MECA Electronics Inc.

"New Passive Component Line Extends Bandwidth to mmWave," No. 4, p. 222.

Mentor Graphics Corp.

"PADS Adds DC Drop and Thermal Analysis," No. 7, p. 108.

Mercury Systems

"2 to 18 GHz Receivers in a BGA Package," No. 8, p. 56.

Micro-Coax Inc.

"Metal Clad Fibers for Weight-Sensitive Applications," No. 5, p. 61.

Microsemi Corp.

"Low Power ISM Transceiver for Secure IoT Applications," No. 6, p. 122.

Microwave Vision Group (MVG)

"Electromagnetic Exposure Simulation Software," No. 12, p. 86.

Mini-Circuits

"225 to 450 MHz Low Loss Coupler Handles 200 W," No. 7, p. 106.

National Instruments

"40 GHz Extension to 765 MHz Real-Time Bandwidth PXI VSA," No. 5, p. 104.

National Instruments

"Second-Generation VST is Smarter for Today's RF Test Challenges," No. 9, p. 38.

National Instruments, AWR Group

"Simplifying Antenna Design Without Compromise," No. 7, p. 36.

NewEdge Signal Solutions

"1.8 to 2.7 GHz, 2x2 MIMO Front-End and SDR Transceiver," No. 11, p. 112.

Pasternack

"Flexible Waveguide Eases Interconnect Alignment," No. 3, p. 34.

Pasternack

"Up to 100 W Out and 60 dB Gain From Compact, SMA, GaN Amplifiers," No. 10, p. 120.

Peregrine Semiconductor

"Monolithic Phase and Amplitude Controllers Optimize Doherty PAs," No. 3, p. 112.

Peregrine Semiconductor

"High-Reliability, Radiation-Tolerant Space Products," No. 5, p. 54.

Pico Technology

"Pulse Generators for High Speed Digital and Microwave Test," No. 3, p. 116.

Pronghorn Solutions

"Low Noise, Low SWaP Synthesizers," No. 8, p. 116.

QRC Technologies

"Wideband Measurement System Characterizes Wireless Networks," No. 1, p. 128.

RIGOL Technologies Inc.

"RF Signal Generator Delivers Performance and Value," No. 1, p. 130.

Rogers Corp.

"Laminate for Active Antennas," No. 11, p. 38.

Rohde & Schwarz

"A Lab Oscilloscope in a Handheld Package," No. 2, p. 36.

Rosenberger

"Multi-Function CPRI and RF PIM Site Analyzer," No. 6, p. 120.

SAF Tehnika

"Dedicated Handheld E-Band Spectrum Analyzer," No. 5, p. 108.

SAGE Millimeter Inc.

"V-, E- and W-Band, Full S-parameter VNA Extenders," No. 8, p. 48.

SignalCore Inc.

"High Performance VCO-Based Synthesizers," No. 5, p. 122.

SignalCore Inc.

"6 GHz Three-Stage Down-Converter," No. 11, p. 122.

Skyworks Solutions Inc.

"10 mm Diameter Circulators and Isolators for Wireless Infrastructure," No. 9, p. 162.

Southwest Antennas

"Omni Antennas with Integrated RF Goosenecks for Diversity Applications," No. 2, p. 123.

Southwest Microwave Inc.

"Pushing Board-to-Board Interconnect Performance Boundaries," No. 5, p. 34.

Space Labs Inc.

"Tunable, Wideband, Ka-Band Source with High Output Power," No. 9, p. 168.

Spectrum Instrumentation

"14 and 16-Bit AWGs for Automated and Remote Applications," No. 11, p. 118.

Spectrum Systementwicklung Microelectronic GmbH

"High Speed PCIe Digitizers," No. 7, p. 102.

SPINNER GmbH

"Rotary Joints for Transmitting HD-SDI Signals Through a Blocked Central Axis," No. 8, p. 44.

Stanford Research Systems

"High Resolution, Low Jitter, Fast Transition Clock Generator," No. 3, p. 122.

Tektronix

"Tektronix Expands USB Spectrum Analyzer Line," No. 6, p. 116.

Teledyne Microwave Solutions

"0.1 to 6 GHz GaN Amplifiers Redefine SWaP," No. 5, p. 60.

Teledyne Paradise Datacom

"GaN Improves Efficiency of Rugged, Compact 100 W Ka-Band SSPA," No. 4, p. 218.

Teledyne Paradise Datacom

"500 W L/S-Band GaN SSPA," No. 11, p. 120.

Teledyne Relays

"USB/Ethernet-Controlled Miniature Switch Modules," No. 9, p. 166.

TRAK Microwave

"GaN SSPA Powers Ku-Band Block Up-Converter," No. 5, p. 118.

United Monolithic Semiconductors

"24 GHz Transceiver for Industrial Sensors and Automotive Radar," No. 12, p. 96.

Xpedic Technology

"3D Full-Wave EM Simulation Without Leaving Virtuoso," No. 8, p. 120.

Z-Communications Inc.

"Compact, Connectorized K-Band Power and Driver Amplifiers," No. 5, p. 120.

SPECIAL REPORTS

Gallagher, Kevin

"Filter Technology Trends in Mobile Wi-Fi Modules," No. 12, p. 80.

Lum, Earl

"Wireless Infrastructure Market View: Waiting for China to Come Back," No. 2, p. 42.

SUPPLEMENT FEATURES

Alba, Ismael Molina

"Appropriate Data Line Common Mode Choke Selection," No. 3, p. 28.

Anritsu Co.

"Advantages of Near-Field Measurement When Verifying 5G Antenna Designs," No. 11, p. 24.

Barnes, Heidi, Jeff Most and Mike Resso

"Signal Integrity Tips and Techniques Using TDR, VNA and Modeling," No. 3, p. 6.

Bosworth, Duncan and Gary Wenger

"Mastering the Thermal Challenges of Advanced Defense Subsystems," No. 5, p. 38.

Dunleavy, Larry, Hugo Morales, Charles Suckling and Kim Tran

"Device and PA Circuit Level Validations of a High Power GaN Model Library," No. 8, p. 32.

Dunn, John

"In-Situ Antenna Measurements: Coupling the Antenna to the Circuit," No. 5, p. 46.

Gallagher, Justin, Joseph A. Haimerl, Thomas Higgins and Matthew Gruber

"Space Fence Radar Leverages Power of GaN," No. 8, p. 6.

Kimery, James

"5G Opens Up mmWave Spectrum: Which Frequencies Will Be Adopted?" No. 11, p. 34.

Konig, Sven

"DPI with Integrated Current and Voltage Measurement," No. 3, p. 24.

Kopp, Jorg

"NB-IoT and eMTC Make 4G Networks Ready for the Internet of Things," No. 11, p. 20.

Krohne, Klaus

"Streamlining High Speed Channel Design with Simulation," No. 3, p. 18.

Langston, Nick

"Connectivity Challenges in Smart Textiles," No. 3, p. 6.

Liero, A., O. Bengtsson and W. Heinrich

"Characterization of Single-Shot Large-Signal Phenomena Using High-Speed Oscilloscopes," No. 8, p. 20.

McDaniel, Jay, Jie-Bang Yan and Sivaprasad Gogineni

"Design, Integration and Miniaturization of a Multichannel UWB Snow Radar Receiver," No. 5, p. 20.

Ram, Suresh and Jagjit Singh Bal

"Fingertip Gesture Control Interface for 'Invisible' Devices," No. 11, p. 4.

Rodriguez-Morales, F., S. Gogineni, F. Ahmed, C.

Carabajal, A. Paden, C. Leuschen, J. Paden and J. Li

"T/R Switches and Modules for Ice Sounding/Imaging Radar," No. 5, p. 6.

Sodhi, Raj and Jim Taber

"Accelerating 'Time to Answers' in RF Streaming Applications," No. 5, p. 30.

Rumney, Moray

"Testing 5G: Time to Throw Away the Cables," No. 11, p. 10.

SYSTEMS

Burítica, Alejandro

"S02.11ax - High Efficiency Wireless," No. 10, p. 62.

Paparisto, Gent and David Vye

"Designing Next-Generation AESA Radar," No. 11, p. 88.